

ATTACHMENT 34

EXHIBIT 28

From: Jan Vilhuber <vilhuber@cisco.com>
To: Allen Long <along@cisco.com>
CC: aaa-geeks@cisco.com <aaa-geeks@cisco.com>; parser-police@cisco.com <parser-police@cisco.com>
Sent: 10/22/1997 10:07:23 PM
Subject: Re: Change in default Radius behavior

On Wed, 22 Oct 1997, Allen Long wrote:

> Yes, I think I could live with:

>

> radius-server authorize ncp

> and no radius-server authorize ncp

>

> If it really is a boolean, why do we need the complexity of the extra

> keyword (permit|deny)?

>

No, I suppose we don't need the added potion,s although the spell out the intent pretty clearly, without leaving much to be guessed.

Also, I always have my hidden agenda of future extensibility, and adding the permit deny let's you later add on ...permit ip ipx or deny deccp, and thinkgs like that.

I wouldn't complain too loudly about leaving them off, though.

jan

> A

>

> On Wed, 22 Oct 1997, Jan Vilhuber wrote:

>

> > Hm.. maybe I've been working with the code too long. I think it's perfectly

> > obvious what it means. Run it by Dpeng and those guys... They'll know for

> > sure what customers think.

> >

> > I feel stronly that the suggestion below is the best under the circumstances.

> > Customers, I think, will know what this means. The only confusion I see is

> > that this may be TOO broad, i.e. we're talking only about PPP here, and not

> > exec and things like that. You could call it something like:

> >

> > radius-server authorize-ncp permit|deny

> >

> > But then it might be better (for extensibility) to make it

> >

> > radius-server authorization ncp permit|deny

> >

> > But now we're getting a bit too complicated again, and che will raise an

> > objection.

> >

> > I'll cc aaa-geeks...

> > jan

> >

> > On Wed, 22 Oct 1997, Allen Long wrote:

> >

> > > My only concern is that we shouldn't send the user to the manual to find

> > > the meaning of the command. When I see

> > >

> > > radius-server authorization permit

> > >

> > > I don't get the message that, by default, we are letting all services

> > > operate in spite of Radius. 'authorization permit' could mean many, many

> > > things.

> > >

> > >

> > > A

> > >





> > > >

> > > >

> > > >

> > > >

> > > >

> > > > >

> > > > >

> > > > >

> > > > > >









> > > > > > >

> > > > > > >

> > > > > > >

> > > > > We'll have TOO many options.. no can do ;)

> > > > > >

> > > > > >

> > > > > > --

> > > > > Cisco Systems, San Jose (408) 527-0847

> > > > > >

> > > > > >

> > > > >

> > > >

> > > > --

> > > > Cisco Systems, San Jose (408) 527-0847

> > > >

> > > >

 \angle \angle \angle \angle \angle

> > _ _

> > Cisco Systems, San Jose (408) 527-0847

> >

 \angle \angle

✓

—

Jan Vilhuber vilhuber@cisco.com
Cisco Systems, San Jose (408) 527-0847